

GEVAC

Ref. 1004019

GEVAC is a standalone, open-circuit breathing evacuation apparatus designed to offer rapid, reliable protection during evacuation operations in toxic environments. It ensures autonomous operation for more than 10 minutes, compliant with Standard EN 1146.



PRODUCT CHARACTERISTICS

Hood

- with continuous flow that ensures elimination in the hood
- a high-visibility coated material
- an inflatable neck cushion
- a wide field of vision
- an emergency tear strip that offers access to the airways
- easily replaceable via quick connection



Evacuation apparatus

- With an ergonomic carry bib, strap system and adjustable belt
- a HP/MP holder and a 50-bar end-of-run warning whistle
- a permanent pressure gauge on the tap

Cylinder

A 3L and 3,2L to 300bar capacity cylinder



Bag

With belt-mounted pneumatic safety-opening storage

RELATED PRODUCTS

Composite cylinder	Metal cylinder	M20.2	M40
			
Technical Data Sheet: FT0674		Technical Data Sheet: FT0344	Technical Data Sheet: FT0707



GEVAC

Ref: 1004019

Le GEVAC est appareil autonome d'évacuation respiratoire à circuit ouvert, conçu pour offrir une protection rapide et fiable lors d'évacuation en environnements toxiques. Il assure une autonomie supérieure à 10minutes, conforme à la norme EN 1146.



CARACTÉRISTIQUES DU PRODUIT

Cagoule

- avec débit continu qui assure la suppression dans la cagoule
- un tissu enduit haute visibilité
- un boudin de cou gonflable
- un champ visuel large
- une bande de déchirement d'urgence permettant d'avoir accès aux voies respiratoires
- facilement remplaçable par connexion rapide



Appareil d'évacuation

- Avec un dossard de portage ergonomique, brellage et ceinture réglable
- un détendeur HP/MP et un sifflet avertisseur de fin d'autonomie à 50 bar
- un indicateur de pression permanent sur le robinet

Bouteille

Une bouteille d'une capacité de 3L et 3,2L à 300bar



Sacoche

Avec rangement à ouverture de sécurité pneumatique fixée à la ceinture

PRODUITS ASSOCIÉS

Bouteille composite	Bouteille métallique	M20.2	M40
			
Fiche Technique : FT0674		Fiche Technique : FT0344	Fiche Technique : FT0707

